

12th Meeting of the Expert Working Group 'FIT for Screening'

Friday 27th October 2017, 10:15 – 12:00 noon

Meeting room: Glòries C + D

Hotel Novotel Barcelona City

Avinguda Diagonal, 201, 08018 Barcelona, Spain

Agenda

- 10:15 am** Welcome & Introduction from the Chair.
Ernst Kuipers, The Netherlands
- 10:20 am** FIT analytical standardisation and harmonisation
Sally Benton, United Kingdom
- 10:30 am Discussion
- 10:35 am** Do haemoglobin variants affect the detection of haemoglobin by FIT?
Magdalen Carroll, United Kingdom
- 10:45 am Discussion
- 10:50 am** Risk of upper GI cancers in subjects with positive FIT
Manon van der Vlugt, The Netherlands
- 11:00 am Discussion
- 11:05 am** Comparison of surveillance in Low Risk Adenomas: colonoscopy versus FIT
Isabel Portillo Villares, Spain
- 11:15 am Discussion
- 11:20 am** Increased screening cut-off levels and the impact of a plasma protein algorithm
Hans Jørgen Nielsen, Denmark
- 11:30 am Discussion
- 11:35 am** The Dutch colorectal cancer screening programme: first and second round
Esther Toes-Zoutendijk, The Netherlands
- 11:45 am Discussion
- 11:50 am** Closing remarks